


FORM PTO-1449

INFORMATION DISCLOSURE STATEMENT



ATTY DOCKET NO.

48340/55793-CPA

SERIAL NO.

08/812,393

APPLICANT(S): Sherman et al.

FILING DATE:

March 5, 1997

ART UNIT:

1632

UNITED STATES PATENT DOCUMENTS


EXAM. INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FIL. DATE IF APPR

FOREIGN PATENT DOCUMENTS

DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	TRAN YES/NO

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)

CA	Moritz and Groner, "A spacer region between the single chain antibody and the CD3 ζ -chain domain of chimeric T cell receptor components is required for efficient ligand binding and signaling activity", Gene Therapy, 2:539-546 (1995)
CB	Disis et al., "In Vitro Generation of Human Cytolytic T-Cells Specific for Peptides Derived from the HER-2neu Protooncogene Protein ¹ ", Cancer Research, 54:1071-1076 (1994)
CC	Broeren et al., Conserved nucleotide sequences at the 5' end of T cell receptor variable genes facilitate polymerase chain reaction amplification", Eur. J. Immunol., 21:569-575 (1991)
CD	
CE	

Examiner: 

Date: 12.8.03

FORM PTO-1449


ATTY DOCKET NO.

SERIAL NO.

48340/55793

08/812,393

INFORMATION DISCLOSURE STATEMENT



APPLICANT(S): Sherman et al.

FILING DATE:
March 5, 1997ART UNIT:
1632


UNITED STATES PATENT DOCUMENTS

EXAM. INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FIL. DATE IF APPR


FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	TRAN YES/NO

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)

	CA	Danska, et al., The Presumptive DCR3 Regions of Both T Cell Receptor α and β Chains Determine T Cell Specificity for Myoglobin Peptides, J. Exp. Med., 172:27-33 (1990)

Examiner:



Date:

12.8.03